PRESCRIPTION FORM: INSTRUCTIONS



To learn more about the OneGene Program®, call 855-441-GENE (4363), Monday-Friday (8 AM to 8 PM ET), or your Regional Account Associate Director (RAAD).

The OneGene Program is a patient support service from Novartis Gene Therapies, Inc. that helps support you and your patients at every step of the treatment journey, whenever there is a need, to ensure your patients receive the one-time gene therapy in a timely manner.

The OneGene Program provides a knowledgeable team who are ready to help you by:

- Answering questions about ZOLGENSMA and spinal muscular atrophy (SMA)
- · Offering dedicated, personalized support
- Assisting and guiding caregivers with reminders about the process before, during, and after treatment
- · Verifying your patients' insurance benefits
- Providing support on financial assistance programs for eligible patients

The Patient Consent Form, provided on page 3, can be submitted with the ZOLGENSMA Prescription Form by the Prescriber's office, or separately by the patient's parent/legal guardian. The ZOLGENSMA Prescription Form and a signed Patient Consent Form are required in order to receive support through the OneGene Program.

SEE PAGE 2

INSTRUCTIONS FOR HEALTH CARE PROVIDERS



ZOLGENSMA PRESCRIPTION FORM FOR PRESCRIBERS—required for all patients who are prescribed ZOLGENSMA. The **ZOLGENSMA Prescription Form must be submitted by Prescriber office only.**

Section: Billing Method

Select your preferred billing method: Buy and Bill or a Specialty Pharmacy. Please note that the billing method may be specified by the patient's insurance plan.

Section 1: Patient Information

- Patient and parent/legal guardian contact information, including phone numbers and email address, is required in this section.

 A signed Patient Consent Form is needed in order for a patient to receive support through the OneGene Program.
- Please give the Patient Consent Form, provided on page 3, to the parent/legal guardian. If the parent/legal guardian is not available to sign the consent form, it will be provided to them separately by the OneGene Program.

Section 2: Insurance Information

- Be sure to complete the patient's insurance information, and secondary coverage information, if applicable; OR
- Include copies of both sides of the patient's medical and pharmacy insurance card(s).

Section 3: Prescriber/Institution Information

- Prescriber and Institution contact information is required in this section.
- Be sure to include Tax ID and NPI numbers to help facilitate the benefits investigation process.

Section 4: Lab Results Documentation

- The following tests may be required by the insurance provider. Please indicate on the ZOLGENSMA Prescription Form which, if any, of the following tests have been ordered or completed:
 - SMA Diagnostic Test, which includes: SMN1 deletion and SMN2 copy number
 - · AAV9 Antibody Test

Novartis Gene Therapies is offering the Novartis Gene Therapies Laboratory Testing Program to facilitate efficient testing and reimbursement. For more information, please call the OneGene Program at 855-441-GENE (4363).

Section 5: Prescription Information

This section serves as the official prescription for ZOLGENSMA. The Prescriber is to comply with his/her state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax language, etc. Noncompliance with state-specific requirements may result in outreach to the Prescriber.

All fields on page 2 are required. Please be sure to sign, date, and fax the form to 855-951-GENE (4363) or upload online at www.zolgensma-enrollment.com.

For more information, please see the ZOLGENSMA Treatment Guide and Full Prescribing Information.



Please fax signed ZOLGENSMA Prescription Form as soon as it has been completed to 855-951-GENE (4363) or upload online at www.zolgensma-enrollment.com. If you have any questions or would like to learn more, call 855-441-GENE (4363), Monday-Friday (8 AM to 8 PM ET). The Patient Consent Form is not required to begin the prescription process for ZOLGENSMA.

Please see Indication and Important Safety Information on page 4 and the accompanying <u>Full Prescribing Information</u>, including Boxed Warning for Serious Liver Injury and Acute Liver Failure.



PRESCRIPTION FORM

Please be sure to sign, date, and fax the form to 855-951-GENE (4363) or upload online at www.zolgensma-enrollment.com.

Form must be submitted by Prescriber's office only.



To learn more about the OneGene Program®, call 855-441-GENE (4363), Monday-Friday (8 AM to 8 PM ET), or your Regional Account Associate Director (RAAD).

and Man						01	DMala DE :	Detroit Divis	, , ,
ent Name:							☐ Male ☐ Female		
nt Address:				City	y:		State: _	ZIP:	
t/Legal Guardi	ian:				Relationship: \Box	Power of Atto	rney 🚨 Other:		
Phone #:			Cell Phone	#:		E	Email:		
try:			Prefer	red language:	I English □ Spa	nish 🛚 Othe	r:		
INSURAN	NCE INFORMA	TION (Please	attach a copy of bot	th sides of the patie	ent's medical and pl	harmacy insura	nce card(s) when subm	itting this prescription	on form.)
							olicy ID #:		
-							_ Policy Holder Rela	•	
				=			Policy ID #:	· ·	
-							-	•	
	:			olicy Holder Date	of Birth:/_	/	_ Policy Holder Rela	ationship to Patient	:
PRESCRI	IBER/INSTITUT	TION INFORM	ATION						
criber Name:				Tax I	D #:		NPI #	:	
iber Address:				Cit	v:		State: _	ZIP:	
					•		Office Contact Phor		
							ame:		
							State: _		
		ame:							
e fax genetic Si e confirm which deletion and e call OneGene	ch tests have been SMN2 copy numbe e Program at 855-4	ENTATION and AAV9 Antibody ordered or completer: Ordered 41-GENE (4363), I	Test results on file eted, if any: Spina 1 Completed AA Monday-Friday (8	ıl Muscular Atropl V9 Antibody Test	hy (SMA) Diagnos	stic Test, which Completed	following tests may be nincludes Antibody Test or oth	, ,	surance pro
e fax genetic S e confirm whic deletion and e call OneGene	MA confirmation are the tests have been SMN2 copy number	ENTATION and AAV9 Antibody ordered or completer: Ordered 41-GENE (4363), I	Test results on file eted, if any: Spina 1 Completed AA Monday-Friday (8	ıl Muscular Atropl V9 Antibody Test	hy (SMA) Diagnos	stic Test, which Completed	n includes	, ,	surance pro
e fax genetic Si e confirm which deletion and e call OneGene ZOLGENS	MA confirmation ar th tests have been SMN2 copy number of Program at 855-4	ENTATION and AAV9 Antibody ordered or compler: Ordered 41-GENE (4363), I	Test results on file eted, if any: Spina Completed AA Monday-Friday (8	Il Muscular Atropl N9 Antibody Test	hy (SMA) Diagnos t: ☐ Ordered ☐ you have question	stic Test, which Completed s on the AAV9	n includes Antibody Test or oth	, ,	isurance pro
e fax genetic Si e confirm whice deletion and e call OneGene ZOLGENS	MA confirmation are the tests have been SMN2 copy number Program at 855-4	entation and AAV9 Antibody ordered or completer: □ Ordered □ 41-GENE (4363), I PTION INFOR □ G.12.0 Infan	Test results on file eted, if any: Spina Completed AA Monday-Friday (8 MATION tile SMA type 1 (Il Muscular Atropl N9 Antibody Test	hy (SMA) Diagnos t: ☐ Ordered ☐ you have question	stic Test, which Completed s on the AAV9	n includes Antibody Test or oth	er tests.	surance prov
e fax genetic Si e confirm which deletion and e call OneGene ZOLGENS	MA confirmation are the tests have been SMN2 copy number Program at 855-4 SMA PRESCRI cosis ICD-10 Code at/Prior SMA Trea	entation and AAV9 Antibody ordered or completer: □ Ordered □ 41-GENE (4363), I PTION INFOR □ G.12.0 Infan	Test results on file eted, if any: Spina Completed AA Monday-Friday (8 MATION tile SMA type 1 (Il Muscular Atropl N9 Antibody Test	hy (SMA) Diagnos t: ☐ Ordered ☐ you have question	stic Test, which Completed s on the AAV9	n includes Antibody Test or oth	er tests.	
rfax genetic Size confirm which deletion and a call OneGenetic Color of the call of the call of the call one Genetic Color of the call of	MA confirmation are the tests have been SMN2 copy number Program at 855-4 SMA PRESCRI cosis ICD-10 Code nt/Prior SMA Treaties: an adeno-associate elic mutations in the	ed virus (AAV) vecte survival motor neunation of 2 vial size	Test results on file eted, if any: Spina 2 Completed AA Monday-Friday (8 MATION tile SMA type 1 (pn): or-based gene the aron 1 (SMN1) genuzes (either 5.5 mL	al Muscular Atrople AV9 Antibody Test AM to 8 PM ET), if y Werdnig-Hoffma erapy indicated for e. ZOLGENSMA L or 8.3 mL). All v	hy (SMA) Diagnos :: □ Ordered □ you have question an) □ Other (Inc.) r the treatment of p is provided as a c vials have a nomin	stic Test, which Completed s on the AAV9 clude ICD coc pediatric patien customized kit	n includes Antibody Test or oth	□ Trea □ No I of age with spinal muirements for each	tment-naiv known aller uscular atrop n patient. Ea
fax genetic Size confirm which deletion and call OneGenetal Colored Co	MA confirmation are the tests have been SMN2 copy number Program at 855-4 SMA PRESCRI cosis ICD-10 Code nt/Prior SMA Treaties: an adeno-associate lic mutations in the It vials, as a combine the test seen seen seen seen seen seen see	ed virus (AAV) vecte survival motor neumation of 2 vial signinistered as a slo	Test results on file eted, if any: Spina Completed AA Monday-Friday (8 MATION title SMA type 1 (on):	Il Muscular Atropl N9 Antibody Test AM to 8 PM ET), if y Werdnig-Hoffma erapy indicated for e. ZOLGENSMA L or 8.3 mL). All N pproximately 60 r	hy (SMA) Diagnos :: □ Ordered □ you have question an) □ Other (Inc.) r the treatment of p is provided as a c vials have a nomin	stic Test, which Completed s on the AAV9 clude ICD coc pediatric patien customized kit	Antibody Test or oth	Trea No I of age with spinal muirements for each L. ZOLGENSMA is	tment-naiv known aller uscular atrop n patient. Ea
fax genetic Sicconfirm which deletion and call OneGenetary Diagnatient Currer atient Allergia (LGENSMA is MA) with bi-aller at the mains 2 to 14 ravenous infusional contains 2 to 14 ravenous 2 to 14 ra	MA confirmation are the tests have been SMN2 copy number Program at 855-4 SMA PRESCRIPOSIS ICD-10 Code Int/Prior SMA Treadies: an adeno-associated untations in the It vials, as a combision only and is additional three sections.	ed virus (AAV) vect survival motor neu nation of 2 vial siministered as a slow to indicate par	Test results on file eted, if any: Spina Completed AA Monday-Friday (8 MATION tile SMA type 1 (pn): or-based gene the uron 1 (SMN1) general ses (either 5.5 mlow infusion over a weight: kg	Muscular Atroples AM to 8 PM ET), if y Werdnig-Hoffma Prapy indicated for e. ZOLGENSMA L or 8.3 mL). All v pproximately 60 r Date Weigntravenous dosa	hy (SMA) Diagnos :: □ Ordered □ you have question an) □ Other (Inc.) r the treatment of p is provided as a c vials have a nomin minutes. ght Taken: /	clude ICD coc bediatric patien customized kit al concentration by patient bo	Antibody Test or othe le): Its less than 2 years of the to meet dosing request of 2.0 × 10 ¹³ vg/m Expected Infus	Trea No I of age with spinal muirements for each L. ZOLGENSMA is sion Date: /	tment-naive known aller uscular atrop n patient. Ea for single-do
fax genetic Siconfirm whice deletion and call OneGenetal OneGeneta	MA confirmation are the tests have been SMN2 copy number Program at 855-4 SMA PRESCRIPTION Code Interpretation of the test of	ed virus (AAV) vect a survival motor neu nation of 2 vial sizministered as a slotfills	Test results on file eted, if any: Spina Completed AA Monday-Friday (8 MATION tile SMA type 1 (pn): or-based gene the uron 1 (SMN1) general ses (either 5.5 mlow infusion over a weight: kg	al Muscular Atropl N9 Antibody Test AM to 8 PM ET), if y Werdnig-Hoffma erapy indicated for e. ZOLGENSMA L or 8.3 mL). All v pproximately 60 r	hy (SMA) Diagnos :: □ Ordered □ you have question an) □ Other (Inc.) r the treatment of p is provided as a c vials have a nomin minutes. ght Taken: / ge is determined	stic Test, which Completed s on the AAV9 clude ICD coordinate patient customized kit al concentration	Antibody Test or other de): Its less than 2 years of to meet dosing requence of 2.0 × 10 ¹³ vg/m Expected Infus	Trea No I of age with spinal muirements for each L. ZOLGENSMA is	tment-naive known aller uscular atrop n patient. Ea for single-do
fax genetic Siconfirm whice deletion and call OneGenetary Diagnatient Currentatient Allergia LGENSMA is MA) with bi-allerations 2 to 14 ravenous infusuantity: 1 pase check a Patient eight Range (kg)	MA confirmation are the tests have been SMN2 copy number Program at 855-4 SMA PRESCRIPTION Code Interpretation of the test of	ed virus (AAV) vecto survival motor neu nation of 2 vial siministered as a sicolar batter par Patient	Test results on file eted, if any: Spina 2 Completed AA Monday-Friday (8 MATION tile SMA type 1 (on): or-based gene the uron 1 (SMN1) gen zes (either 5.5 ml ow infusion over a Weight: kg tient dose. The ir	Muscular Atropl N9 Antibody Test AM to 8 PM ET), if y Werdnig-Hoffma erapy indicated for e. ZOLGENSMA L or 8.3 mL). All v pproximately 60 r Date Weigntravenous dosa Patient	hy (SMA) Diagnos :: □ Ordered □ you have question an) □ Other (Inc.) r the treatment of p is provided as a c vials have a nomin minutes. ght Taken: / ge is determined	clude ICD coc pediatric patien customized kit al concentration / by patient bo	Antibody Test or othe le): Its less than 2 years of the tomeet dosing requency of 2.0 × 10 ¹³ vg/m Expected Infusory weight: (kg) NDC Number	Trea No Infrage with spinal mulirements for each L. ZOLGENSMA is sion Date: /	tment-naive known allers uscular atrop n patient. Ea for single-do
fax genetic Siconfirm whice deletion and call OneGenetic Solution and call OneGenetic Solution attent Currer attent Allergia LGENSMA is MA) with bi-aller attents 2 to 14 revenous infusions 2 to 14 revenous 2 t	MA confirmation are the tests have been SMN2 copy number Program at 855-4 SMA PRESCRI cosis ICD-10 Code nt/Prior SMA Treaties: an adeno-associate lic mutations in the twials, as a combision only and is addressed box or boxes beloever the source of the	entation and AAV9 Antibody ordered or completer: □ Ordered □ 41-GENE (4363), I PTION INFOR □ G.12.0 Infantment (medication the divinus (AAV) vector survival motor neuration of 2 vial size in inistered as a slot fills Patient Weight Range (kg)	Test results on file eted, if any: Spina Completed AA Monday-Friday (8 MATION tile SMA type 1 (pn): or-based gene the uron 1 (SMN1) genzes (either 5.5 mlow infusion over a weight: kg tient dose. The in NDC Number	Muscular Atropl N9 Antibody Test AM to 8 PM ET), if y Werdnig-Hoffma Perapy indicated for e. ZOLGENSMA To 8.3 mL). All N pproximately 60 r Date Weightravenous dosa Patient Weight Range (kg)	hy (SMA) Diagnos :: □ Ordered □ you have question an) □ Other (Inc.) r the treatment of p is provided as a c vials have a nomin minutes. ght Taken: / ge is determined	completed s on the AAV9 clude ICD coordinate pediatric patient customized kit al concentration patient be patient be patient weight Range	Antibody Test or oth de): tts less than 2 years of to meet dosing requent of 2.0 × 10 ¹³ vg/m Expected Infus ody weight: (kg) NDC Number (kg) NDC Number (kg) 71894-135-07	Trea No I of age with spinal m uirements for each L. ZOLGENSMA is sion Date: Patient Weight Range (kg)	tment-naive known allerguscular atrop n patient. Ea for single-do
fax genetic Siconfirm which deletion and call One Genetic Solution and call One Genetic Solution attent Currer attent Allergia LGENSMA is MA) with bi-aller attents 2 to 14 ravenous infusions 2 to 14 ravenous 2 to 14 r	MA confirmation are the tests have been SMN2 copy number Program at 855-4 SMA PRESCRI cosis ICD-10 Code nt/Prior SMA Treaties: an adeno-associate lic mutations in the avials, as a combision only and is addressed. No Refills: No Refi	entation and AAV9 Antibody ordered or completer: □ Ordered at1-GENE (4363), I PTION INFOR continued of the continued of t	Test results on file eted, if any: Spina Completed AA Monday-Friday (8 MATION tile SMA type 1 (corbased gene the uron 1 (SMN1) genzes (either 5.5 mlow infusion over a Weight: kg tient dose. The ir NDC Number 71894-125-04	Muscular Atrople V9 Antibody Test AM to 8 PM ET), if y Werdnig-Hoffma Perapy indicated for e. ZOLGENSMA Or 8.3 mL). All v pproximately 60 r Date Weight Range (kg) 1.6 – 8.0	hy (SMA) Diagnos :: □ Ordered □ you have question an) □ Other (Inc. r the treatment of p is provided as a c vials have a nomin minutes. ght Taken: / ge is determined NDC Number 71894-130-06	ediatric patien customized kit al concentration patient bot patient	Antibody Test or othes. Expected Infus. Antibody Weight: Antibody Weight: Antibody Weight: Antibody Test or othes.	Patient Weight Range (kg) 12.6 – 13.0 13.1 – 13.5 Other, please	tment-naive known allerg uscular atrop n patient. Ea for single-do / NDC Num 71894-140 71894-141 specify (refere
fax genetic Signature of the confirm which deletion and call OneGenetic Solution of the call one	MA confirmation are the tests have been SMN2 copy number Program at 855-4 SMA PRESCRI COSIS ICD-10 Code COMPAND CODE CODE CODE CODE CODE CODE CODE COD	ed virus (AAV) vectors as a slot indicate par Weight Range (kg) ENTATION AND Antibody Ordered or completer: Ordered or completer: Ordered or completer: Ordered or completer: Ordered order	Test results on file eted, if any: Spina 2 Completed AA Monday-Friday (8 MATION tile SMA type 1 (pn): cor-based gene the aron 1 (SMN1) genzes (either 5.5 mLow infusion over a Weight: kg tient dose. The ir NDC Number 71894-125-04 71894-126-04	Werdnig-Hoffma Prapy indicated for e. ZOLGENSMA Or 8.3 mL). All vpproximately 60 r Date Weigntravenous dosa Weight Range (kg) 1.6 - 8.0 1.8.1 - 8.5	hy (SMA) Diagnos c: Ordered you have question an) Other (Inc. r the treatment of p is provided as a c vials have a nomin minutes. ght Taken: / ge is determined NDC Number 71894-130-06 71894-131-06	by patient be Patient Weight Range 10.1 – 10 10.6 – 11	Antibody Test or other lep: Its less than 2 years of the to meet dosing request of 2.0 × 10 ¹³ vg/m Expected Infusory Expected Infusory One of 2.0 × 10 ¹³ vg/m Its less than 2 years of the to meet dosing request of 2.0 × 10 ¹³ vg/m Its less than 2 years of the to meet dosing request of the total vg/meet dosing request to the total vg/meet dosi	rer tests. Trea No I of age with spinal m uirements for each L. ZOLGENSMA is sion Date: Patient Weight Range (kg) 12.6 – 13.0 13.1 – 13.5	tment-naive known allerg uscular atrop n patient. Ea for single-do / NDC Num 71894-141 specify (refere A Prescribing
e fax genetic Sice confirm which deletion and call OneGenetic Strimary Diagnorm attent Allergic DLGENSMA is MA) with bi-allernations 2 to 14 ravenous infus quantity: 1 case check a Patient	MA confirmation are the tests have been SMN2 copy number Program at 855-4 SMA PRESCRIPOSIS ICD-10 Code Interpretation of the test and adeno-associate elic mutations in the test at vials, as a combision only and is addressed in the test of the te	ed virus (AAV) vector survival motor neuration of 2 vial siministered as a slottille vector of the virus (AS) and the virus (AS	Test results on file eted, if any: Spina 2 Completed AA Monday-Friday (8 MATION tile SMA type 1 (con): On: Or-based gene the aron 1 (SMN1) general (SMN1)	Werdnig-Hoffma Prapy indicated for e. ZOLGENSMA or 8.3 mL). All vpproximately 60 r Date Weight Range (kg) 7.6 - 8.0 8.6 - 9.0	hy (SMA) Diagnos c: Ordered you have question an) Other (Inc. r the treatment of p is provided as a c vials have a nomin minutes. ght Taken: / ge is determined NDC Number 71894-130-06 71894-131-06 71894-132-06	pediatric patient be patient patient patient be patient	Antibody Test or other de): Its less than 2 years of the to meet dosing requence of 2.0 × 10 ¹³ vg/m Expected Infused weight: (kg) NDC Number 71894-135-07 71894-137-08 71894-137-08	rer tests. Trea No I of age with spinal m uirements for each L. ZOLGENSMA is sion Date: Patient Weight Range (kg) 12.6 – 13.0 13.1 – 13.5 Other, please ZOLGENSM, Information f	tment-naive cnown allers uscular atrop n patient. Ea for single-do / NDC Num 71894-140 71894-141 specify (refere A Prescribing or options)
rimary Diagn atient Currer atient Allergi DIGENSMA is WA) with bi-alle ntains 2 to 14 ravenous infus untity: 1 ease check a Patient eight Range (kg) 2.6 - 3.0 3.1 - 3.5 3.6 - 4.0 4.1 - 4.5 4.6 - 5.0	MA confirmation are the tests have been SMN2 copy number Program at 855-4 SMA PRESCRIPOSIS ICD-10 Code Int/Prior SMA Treadies: an adeno-associate elic mutations in the at vials, as a combision only and is addressed in the second program of	ENTATION Ind AAV9 Antibody ordered or complete: □ Ordered □ A1-GENE (4363), I PTION INFOR Indicated the control of the con	Test results on file eted, if any: Spina 2 Completed AA Monday-Friday (8 MATION tile SMA type 1 (on): On: Or-based gene the uron 1 (SMN1) genzes (either 5.5 mlow infusion over a) weight: kg tient dose. The ir NDC Number 71894-125-04 71894-126-04 71894-127-05 71894-128-05 71894-129-05	Werdnig-Hoffma Parapy indicated for e. ZOLGENSMA or 8.3 mL). All vpproximately 60 r Date Weight Range (kg) 7.6 – 8.0 8.1 – 8.5 8.6 – 9.0 9.1 – 9.5 9.6 – 10.0	hy (SMA) Diagnos critical ordered ord	pediatric patient being the patient weight Range 10.1 – 10 – 11.1 – 11 – 11.6 – 12	Antibody Test or other de): Its less than 2 years of the to meet dosing requence of 2.0 × 10 ¹³ vg/m Expected Infused weight: (kg) NDC Number 71894-135-07 71894-137-08 71894-137-08	rer tests. Trea No I of age with spinal m uirements for each L. ZOLGENSMA is Patient Weight Range (kg) 12.6 – 13.0 13.1 – 13.5 Other, please ZOLGENSM.	tment-naive known allerg uscular atrop n patient. Ea for single-do / NDC Num 71894-141 specify (refere A Prescribing
e fax genetic Sie e confirm which deletion and de call OneGenetic Structure Patient Allergia DLGENSMA is MA) with bi-allergia DLGENS	MA confirmation are the tests have been SMN2 copy number Program at 855-4 SMA PRESCRIPOSIS ICD-10 Code Int/Prior SMA Treadies: an adeno-associate elic mutations in the avials, as a combision only and is add Refills: No R	ENTATION Ind AAV9 Antibody ordered or complete: □ Ordered □ #41-GENE (4363), I PTION INFOR Indicated the control of the co	Test results on file eted, if any: Spina 2 Completed AA Monday-Friday (8 MATION tile SMA type 1 (con): On: Or-based gene the aron 1 (SMN1) general (SMN1)	Werdnig-Hoffma Werdnig-Hoffma Werdnig-Hoffma Werdnig-Hoffma Werdnig-Hoffma Werdnig-Hoffma Werdnig-Hoffma Patient Date Weigntravenous dosa Patient Weight Range (kg) 7.6 - 8.0 8.1 - 8.5 8.6 - 9.0 9.1 - 9.5 9.6 - 10.0 Contents.	hy (SMA) Diagnos critical provided anyou have question anyou have a nomin	pediatric patient bediatric Range 10.6 - 11 1.1 - 12 11.6 - 12 12.1 - 12	Antibody Test or other lep: Its less than 2 years of the meet dosing requested of 2.0 × 10 ¹³ vg/m Expected Infusory Expected Infusory One of 2.0 × 10 ¹³ vg/m In the meet dosing requested infusory Expected Infusory In the meet dosing requested infusory In the meet dosing requested infusory Expected Infusory In the meet dosing requested infu	rer tests. Trea No I of age with spinal m uirements for each L. ZOLGENSMA is sion Date: Patient Weight Range (kg) 12.6 – 13.0 13.1 – 13.5 Other, please ZOLGENSM, Information f	tment-naive cnown allers uscular atrop n patient. Ea for single-do / NDC Num 71894-140 71894-141 specify (refere A Prescribing or options)

PATIENT CONSENT FORM

This form provides consent to share health information for the purpose of providing patient support and marketing or other communication.



To learn more about the OneGene Program®, call 855-441-GENE (4363), Monday-Friday (8 AM to 8 PM ET), or your Regional Account Associate Director (RAAD).

Enroll in the OneGene Program today by sending this signed Patient Consent Form by: Faxing to 855-951-GENE (4363)

Uploading online to www.zolgensma-enrollment.com

Mailing to OneGene Program at 600 Emerson Road, Suite 300, Creve Coeur, MO 63141

Consent to share health information for the purpose of providing patient support and marketing or other communication:

I hereby authorize my (and/or my child's) healthcare providers, health insurance carriers, and pharmacy providers to use and disclose my (and/or my child's) individually identifying health information, including health insurance information, medical diagnosis and condition (including lab test results related to such diagnosis or supportive testing), prescription information, and name, address, and telephone number to Novartis Gene Therapies, Inc. (hereinafter "Novartis Gene Therapies") and its agents and representatives, including third parties authorized by Novartis Gene Therapies to administer the OneGene Program, in order to administer the OneGene Program patient and ZOLGENSMA® (onasemnogene abeparvovec-xioi) support program for the following purposes:

1) to contact my (and/or my child's) healthcare provider and collect, enter, and maintain my (and/or my child's) health information in a database; 2) to contact my (and/or my child's) insurers as needed to verify my (and/or my child's) insurance coverage, review reimbursement requirements, and assist with the processing of claims; 3) to determine eligibility for program offerings, including financial assistance services; 4) to contact me by telephone or email, in electronic format or otherwise, to receive education, study the effectiveness of therapy, assess OneGene Program customer service, and to provide therapy support services designed for people prescribed ZOLGENSMA; 5) to occasionally contact me by mail, email, fax, telephone call, and text message for marketing or market research purposes and to provide me with information about program services and/or other topics of interest; 6) to perform data analytics with aggregated de-identified data to assess program efficiency; and 7) to provide the patient with ongoing therapy support. All prescription related support is limited to Novartis Gene Therapies product(s).

OneGene Program and Novartis Gene Therapies agree to protect my (and/or my child's) health information by using and disclosing such information only for the reasons listed above, pursuant to the requirements imposed under the Health Insurance Portability and Accountability Act of 1996 (HIPAA). I understand that federal privacy laws may no longer protect my (and/or my child's) health information after its disclosure to OneGene Program and that it may be subject to redisclosure.

I understand that I am entitled to a copy of this signed Authorization and may revoke (withdraw) this Authorization at any time by faxing a signed, written request to OneGene Program at 855-951-GENE (4363), uploading online at www.zolgensma-enrollment.com or by mailing such request to OneGene Program at 600 Emerson Road, Suite 300, Creve Coeur, MO 63141. OneGene Program will no longer seek disclosure of my (and/or my child's) health information from his/her healthcare providers and health insurance carriers once it has received and processed my revocation. However, revoking this Authorization will not affect any use and disclosure of the health information that has already occurred in reliance on my authorization. If I revoke this Authorization, I will no longer be able to receive OneGene Program support services.

This Authorization shall be valid for ten (10) years from the date indicated next to my signature below unless earlier revoked by my written request or in accordance with local laws.

No effect on treatment: I understand I do not have to sign this Authorization and that my enrollment in any of the services and/or programs described above is entirely voluntary. I understand that Novartis Gene Therapies, as well as my (and/or my child's) healthcare providers, cannot require me, as a condition of having access to medications, prescription drugs, treatment or other care, to sign this Authorization. Federal Law (including HIPAA) requires a signed authorization in order for OneGene Program to collect this information from my (and/or my child's) healthcare providers. I understand I cannot participate in the listed services and/or programs without signing this Authorization or an equivalent authorization with my (and/or my child's) healthcare providers.

I understand that my pharmacy, health insurers, and third party vendors may receive remuneration (payment) from the OneGene Program and Novartis Gene Therapies in exchange for disclosing my Personal Information to the OneGene Program and Novartis Gene Therapies and/or for providing me with support services for the purposes described above.

	PATIENT INFORMATION		
Patient Name (Please Print)	Patient Date of Birth		
Parent/Legal Guardian Name (Please Print)		Relationship to Patient	
SIGN		/ /	
Parent/Legal Guardian Signature		Date	
	()_ Home Phone (optional)	() Mobile Phone (optional)	

Please see Indication and Important Safety Information on page 4 and the accompanying <u>Full Prescribing Information</u>, including Boxed Warning for Serious Liver Injury and Acute Liver Failure.

Indication and Important Safety Information



What is ZOLGENSMA® (onasemnogene abeparvovec-xioi)?

ZOLGENSMA is a prescription gene therapy used to treat children less than 2 years old with spinal muscular atrophy (SMA). ZOLGENSMA is given as a one-time infusion into a vein. ZOLGENSMA was not evaluated in patients with advanced SMA.

What is the most important information I should know about ZOLGENSMA?

- ZOLGENSMA can increase liver enzyme levels and cause acute serious liver injury or acute liver failure which could result in death.
- Patients will receive an oral corticosteroid before and after infusion with ZOLGENSMA and will undergo regular blood tests to monitor liver function.
- Contact the patient's doctor immediately if the patient's skin and/or whites of the eyes appear yellowish, if the patient misses a dose of corticosteroid or vomits it up, or if the patient experiences a decrease in alertness.

What should I watch for before and after infusion with ZOLGENSMA?

- Infections before or after ZOLGENSMA infusion can lead to more serious complications. Caregivers and close contacts with the patient should follow infection prevention procedures. Contact the patient's doctor immediately if the patient experiences any signs of a possible infection such as coughing, wheezing, sneezing, runny nose, sore throat, or fever.
- Decreased platelet counts could occur following infusion with ZOLGENSMA. Seek immediate medical attention if the patient experiences unexpected bleeding or bruising.
- Thrombotic microangiopathy (TMA) has been reported to generally occur within the first two weeks after ZOLGENSMA infusion. Seek immediate medical attention if the patient experiences any signs or symptoms of TMA, such as unexpected bruising or bleeding, seizures, or decreased urine output.
- There is a theoretical risk of tumor development with gene therapies such as ZOLGENSMA. Contact the patient's doctor and Novartis Gene Therapies, Inc. (1-833-828-3947) if a tumor develops.

What do I need to know about vaccinations and ZOLGENSMA?

- Talk with the patient's doctor to decide if adjustments to the vaccination schedule are needed to accommodate treatment with a corticosteroid.
- Protection against influenza and respiratory syncytial virus (RSV) is recommended and vaccination status should be up-to-date prior to ZOLGENSMA administration. Please consult the patient's doctor.

Do I need to take precautions with the patient's bodily waste?

Temporarily, small amounts of ZOLGENSMA may be found in the patient's stool. Use good hand hygiene when coming into direct contact with patient body waste for one month after infusion with ZOLGENSMA. Disposable diapers should be sealed in disposable trash bags and thrown out with regular trash.

What are the possible or likely side effects of ZOLGENSMA?

The most common side effects that occurred in patients treated with ZOLGENSMA were elevated liver enzymes and vomiting.

The safety information provided here is not comprehensive. Talk to the patient's doctor about any side effects that bother the patient or that don't go away.

You are encouraged to report suspected side effects by contacting the FDA at 1-800-FDA-1088 or www.fda.gov/medwatch, or Novartis Gene Therapies, Inc. at 1-833-828-3947.

Please see accompanying Full Prescribing Information.

